

DIAGNOSTIC PRODUCTS

APRIL - 2008



MEDICAL CONSUMER PRODUCTS

—

THERMOMETERS (F)

Quality System Standard applied: **ISO 13485**

CE Certification.

Arsiconsult
38, Av. Guy de Maupassant
78400– Chatou - France
Tél. : +33.1.30.53.07.11
Email : medical@arsiconsult.com

COMPANY-----Page 3

INFRARED THERMOMETERS

FDIR – V 1-----Page 4

FDIR – V 2-----Page 5

FDIR – V 3-----Page 6

DIGITAL THERMOMETERS

FDTH – V0 - 1-----Page 7

FDTH – V0 - 2-----Page 8

FDTH – V0 - 3-----Page 9

NEBULIZER

FDNB – V 1-----Page 10

Other products to be included in that catalogue:

BLOOD PRESSURE MONITORS

* * *

The Company specializes in develop, design and manufacture electronic home medical equipments focused on home health care and baby care facilities.

Its available main products fall in five categories: infrared thermometers, digital thermometers, nebulizers, digital wrist blood pressure monitor, baby monitor and other products of its kind are under R & D.

Business Aim :

The Company aims to improve the quality of people's life with closer attention, and to serve the world with first-rate expertise, sophisticated technology, exquisite design, low prices and favourable quality. It holds a dedicated staff who are talented in creation. With accumulated experience and alertness to market, it keeps the way forward, updating and upgrading product R & D and sales service

History:

- The Company was founded in Jan. 2001.
 - Achievements: With the experienced staff group, it applies the achievements of R & D in industrial automatics to civil industry.
1. Infrared thermometer with the most comprehensive function around the world, a major breakthrough in its R & D.
 2. Two patents of infrared thermometers applied for in China.
 3. Infrared thermometer and digital clinical thermometer got official register of China.
 4. ISO13485 authentication passed.
 5. CE certification for infrared thermometers.
 6. CE certification for digital clinical thermometers.
 7. FDA certification for infrared thermometer.

In July 2003 The Company invested to set up his own mould factory in the hope of providing the integrated service of precision moulding design, manufacture and injection moulding. At present we are applying advanced design software's such as Pro/Engineer AutoCAD etc. to design all kinds of precision moulds. At the same time our factory has been equipped with professional mould and injection technicians, advanced precision mechanical equipments including world-known large precision injection machines, CNC processing Centre, CNC machine tools , spark machines, thread cutting machines and mould testing equipments etc. With good credit standing, orderly production and full sense of responsibility we can make delivery on time and provide best services.

Customers from both home and abroad are warmly welcomed to contact us for the business of mould manufacturing & injection. We are ready and pleased to tailor moulds according to your drawings or samples, plastic injection is also available if moulds provided.

INFRARED THERMOMETERS

FDIR – V 1

Article Features: ◆.4 function in 1, Ear, Forehead, Ambient temperature, Clock display
 ◆.1 second taking temperature: scan 512 times and show the result in one second
 ◆. Probe cover free ◆.Fever alarm function: when taking temperature over
 ◆. Easy cleaning: a design of waterproof can use moist cotton to clean the probe

Certificates available: CE,FDA

Quality guarantee: **One year**

Specification:

Operating instructions	1)press power switch to turn on unit.
	2) position sensor tip, wait for beeper sound.
	3) read temperature
	4) press power switch to turn off unit.
Range of displayed temperature	32.0C ~ 42.0C (89.6F~ 107.6F)
Digital increment	+/- 0.1C or (+/- 0.2F)



Kind of packaging: 4-Color Gift Box

Export carton sizes (H * L * W):	62*32*32 cm	Quantity per 20' cont:	26 460 pcs
Quantity per export carton:	60 pcs	Quantity per 40' cont:	55 860 pcs
Export carton weight (Kg):	13,35 Kg	Quantity per 40' HQ cont:	- pcs

Individual box sizes (H * L * W):	15*12*5 cm
Individual box weight(Kgs):	0,18 Kgs

FDIR – V 2

Article Features:

- ◆.1 second taking temperature ◆.19 times memory ◆. Remnant battery power indicate ◆.Fever alarm function ◆.Backlight screen(optional)
- ◆20pcs of free covers, ear cover compelled

Certificates available:

CE

Quality guarantee:

One year



Specification:

Body temperature accuracy	a) +/- 0.3 C / 0.5 F: 32.0 ~ 35.4 C (89.6 ~ 95.7 F)
	b) +/- 0.3 C / 0.5 F: 42.1 ~ 42.9 C (107.8 ~ 109.2 F)
	c) +/- 0.2 C / 0.4 F: 35.5 ~ 42.0 C (95.9 ~ 107.6 F)
Range of displayed temperature	32.0 C ~ 42.0 C (89.6 F ~ 107.6 F)
Digital increment	+/- 0.1 C or +/- 0.2 F)

Kind of packaging:

Color Box

Export carton sizes (H * L * W):	50.5*47*37 cm	Quantity per 20' cont:	20 520 pcs
Quantity per export carton:	60 pcs	Quantity per 40' cont:	41 040 pcs
Export carton weight (Kgs):	12,2 Kgs	Quantity per 40' HQ cont:	- pcs

Individual box sizes (H * L * W):	22.7*8.1*6.9 cm
Individual box weight(Kgs):	0,2 Kgs

FDIR – V 4

Article Features: ♦.4 function in 1, Ear, Forehead, Ambient temperature, Clock display ♦.1 second taking temperature ♦.19 times memory ♦.Read both C and F
♦.Backlight screen ♦. Probe cover free ♦.Fever alarm function
♦.Remnant battery power indicate

Certificates available: CE

Quality guarantee: **One year**



Kind of packaging: **Plastic Box with Color Cover**

Export carton sizes (H * L * W):	36*24*32 cm	Quantity per 20' cont:	121 560 pcs
Quantity per export carton:	120 pcs	Quantity per 40' cont:	243 120 pcs
Export carton weight (Kgs):	11,4 Kgs	Quantity per 40' HQ cont:	- pcs

Individual box sizes (H * L * W):	11.9*3*5.5 cm
Individual box weight(Kgs):	0,0865 Kgs

DIGITAL THERMOMETERS

FDTH – V0 - 1

Article Features:

- ◆ . Beeps at peak temperature
- ◆ . Automatic power off
- ◆ .The last measurement memory
- ◆ .Fever alarm function
- ◆ .High accuracy and fast response, easy to read digital display

Certificates available:

CE,FDA

Quality guarantee:

One year

Specification:

Operating instructions	1)press power switch to turn on unit.
	2) position sensor tip, wait for beeper sound.
	3) read temperature
	4) press power switch to turn off unit.
Range of displayed temperature	32.0 C ~ 42.0 C (89.6 F ~ 107.6 F)
Digital increment	+/- 0.1 C or (+/- 0.2 F)



Kind of packaging:

Color box packing

Export carton sizes (H * L * W):

55*33*20

cm

Quantity per 20' cont:

188 160

pcs

Quantity per export carton:

240

pcs

Quantity per 40' cont:

406 560

pcs

Export carton weight (Kgs):

6

Kgs

Quantity per 40' HQ cont:

Individual box sizes (H * L * W):

15.3*4.3*1.6

cm

Individual box weight(Kg):

0,023

Kg

FDTH – V0 - 2

Article Features:

- ◆ . Beeps at peak temperature
- ◆ . Automatic power off
- ◆ .The last measurement memory
- ◆ .Fever alarm function
- ◆ .High accuracy and fast response, easy to read digital display

Certificates available:

CE,FDA

Quality guarantee:

One year

Specification:

Operating instructions	1)press power switch to turn on unit.
	2) position sensor tip, wait for beeper sound.
	3) read temperature
	4) press power switch to turn off unit.
Range of displayed temperature	32.0C ~ 42.0C (89.6F ~ 107.6F)
Digital increment	+/- 0.1C or(+/- 0.2F)



Kind of packaging:

Color box packing

Export carton sizes (H * L * W):

55*33*20

cm

Quantity per 20' cont:

188 160

pcs

Quantity per export carton:

240

pcs

Quantity per 40' cont:

406 560

pcs

Export carton weight (Kgs):

6,75

Kgs

Quantity per 40' HQ cont:

pcs

Individual box sizes (H * L * W):

15.3*4.3*1.6

cm

Individual box weight(Kg):

0,0255

Kg

FDTH – V0 – 3

Article Features:

◆.water proof function ◆.Flexible tip design ◆. Beeps at peak temperature ◆. Automatic power off ◆.The last measurement memory ◆. Fever alarm function ◆.Fast type,30 second taking temperature ◆.High accuracy and fast response, easy to read digital display

Certificates available:

CE,FDA

Quality guarantee:

One year

FDTH-V0-3



Kind of packaging:

Color Box + inner White Box

Export carton sizes (H * L * W):

38*29*24.5

cm

Quantity per 20' cont:

TD

pcs

Quantity per export carton:

240

pcs

Quantity per 40' cont:

TD

pcs

Export carton weight (Kgs):

18/26.5/23

Kgs

Quantity per 40' HQ cont:

-

pcs

Individual box sizes (H * L * W):

18.4*13.8*11.4

/18.4*15.8*11.4

cm

Individual box weight(Kgs):

0,5/0.0895/0.073

Kgs

NEBULIZER

FDNB – V 1

